

# Certificate of Analysis

## Nanticoke

Contact Person: Pete Shafer  
 Endicott, NY 13760  
 pete@nanticokegardens.com  
 (607) 754-5008  
 Lic. #OCM-PROC-24-000002-P1

Sample: 2601RLI0089-0365

Strain: Durban Poison  
 Batch#: DP092616PR; Batch Size: 10000 units  
 Sample Received: 01/28/2026; Report Created: 02/05/2026;

## Nanticoke - Durban Poison .5 Gram Single Preroll

Plant, Preroll, Greenhouse  
 Parent Lot:

### Sampling

Sample Collection Date/Time: 01/27/26 13:55  
 Sample Collection Site: Nanticoke  
 Sampling Firm: DRS Testing  
 Sampling Method: MTHD-014  
 Sampling Notes/Deviations:



### Safety

|                               |                           |                                     |                               |
|-------------------------------|---------------------------|-------------------------------------|-------------------------------|
| <b>Pass</b><br>Pesticides     | <b>Pass</b><br>Microbials | <b>Pass</b><br>Mycotoxins           | <b>Pass</b><br>Water Activity |
| <b>Not Tested</b><br>Solvents | <b>Pass</b><br>Metals     | <b>Not Tested</b><br>Foreign Matter | <b>Pass</b><br>Moisture       |

## Cannabinoids

|                            |                        |                         |
|----------------------------|------------------------|-------------------------|
| <b>28.28%</b><br>Total THC | <b>ND</b><br>Total CBD | <b>8.7%</b><br>Moisture |
|----------------------------|------------------------|-------------------------|

| Analyte                   | LOQ  | Result       | Result        |
|---------------------------|------|--------------|---------------|
|                           | mg/g | %            | mg/g          |
| CBDVa                     | 0.2  | ND           | ND            |
| CBDV                      | 0.2  | ND           | ND            |
| CBDa                      | 0.2  | ND           | ND            |
| CBGa                      | 0.2  | 0.57         | 5.7           |
| CBG                       | 0.2  | ND           | ND            |
| CBD                       | 0.2  | ND           | ND            |
| THCV                      | 0.2  | ND           | ND            |
| THCVa                     | 0.2  | ND           | ND            |
| CBN                       | 0.2  | ND           | ND            |
| Δ9-THC                    | 0.2  | 1.79         | 17.9          |
| Δ8-THC                    | 0.2  | ND           | ND            |
| (6aR,9R)-d10-THC          | 0.2  | ND           | ND            |
| (6aR,9S)-d10-THC          | 0.2  | ND           | ND            |
| CBC                       | 0.2  | ND           | ND            |
| THCa                      | 0.2  | 30.21        | 302.1         |
| CBCa                      | 0.2  | ND           | ND            |
| <b>Total Cannabinoids</b> |      | <b>32.57</b> | <b>325.72</b> |

Entered By: VJ, Instrument ID: AL2-002  
 Method: MTHD-001, Date Tested: 02/03/2026 19:37  
 Total theoretical THC % = (delta-9- THC%) + (THCa% x 0.877) + (delta-8- THC%) + (delta-10- THC%)

DRS Testing  
 28 Best Street  
 Buffalo, NY  
 (716) 503-8147  
 http://www.drstesting.com  
 Lic# OCM-CPL-00011



**Amanda Thorning**  
 Laboratory Director

**Violet Josik**  
 Quality Assurance Officer



Confident LIMS  
 All Rights Reserved  
 coa.support@confidentlims.com  
 (866) 506-5866  
 www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

## Nanticoke

Contact Person: Pete Shafer  
 Endicott, NY 13760  
 pete@nanticokegardens.com  
 (607) 754-5008  
 Lic. #OCM-PROC-24-000002-P1

Sample: 2601RLI0089-0365

Strain: Durban Poison  
 Batch#: DP092616PR; Batch Size: 10000 units  
 Sample Received: 01/28/2026; Report Created: 02/05/2026;

## Nanticoke - Durban Poison .5 Gram Single Preroll

Plant, Preroll, Greenhouse  
 Parent Lot:

### Sampling


Sample Collection Date/Time: 01/27/26 13:55  
 Sample Collection Site: Nanticoke  
 Sampling Firm: DRS Testing  
 Sampling Method: MTHD-014  
 Sampling Notes/Deviations:

## Terpenes

## Complete

## Primary Aromas

| Analyte                | LOQ    | Result | Result |
|------------------------|--------|--------|--------|
|                        | %      | %      | mg/g   |
| $\alpha$ -Pinene       | 0.0125 | 0.38   | 3.81   |
| $\beta$ -Caryophyllene | 0.0125 | 0.25   | 2.49   |
| $\beta$ -Pinene        | 0.0125 | 0.19   | 1.87   |
| $\beta$ -Myrcene       | 0.0125 | 0.18   | 1.79   |
| Limonene               | 0.0125 | 0.09   | 0.86   |
| $\alpha$ -Bisabolol    | 0.0125 | ND     | ND     |
| $\alpha$ -Humulene     | 0.0125 | ND     | ND     |
| $\alpha$ -Phellandrene | 0.0125 | ND     | ND     |
| $\alpha$ -Terpinene    | 0.0125 | ND     | ND     |
| Camphene               | 0.0125 | ND     | ND     |
| Caryophyllene Oxide    | 0.0125 | ND     | ND     |
| Farnesene              | 0.0125 | ND     | ND     |
| Fenchol                | 0.0125 | ND     | ND     |
| Geraniol               | 0.0125 | ND     | ND     |
| Guaiol                 | 0.0125 | ND     | ND     |
| Linalool               | 0.0125 | ND     | ND     |
| Ocimene                | 0.0125 | ND     | ND     |
| Terpineol              | 0.0125 | ND     | ND     |
| Terpinolene            | 0.0125 | ND     | ND     |
| Valencene              | 0.0125 | ND     | ND     |



**1.0817%**  
 Total Terpenes

Entered By: VJ, Instrument ID: AL1-001  
 Method: MTHD-005, Date Tested: 01/30/2026 12:38

DRS Testing  
 28 Best Street  
 Buffalo, NY  
 (716) 503-8147  
<http://www.drstesting.com>  
 Lic# OCM-CPL-00011



  
 Amanda Thorning  
 Laboratory Director

  
 Violet Josik  
 Quality Assurance Officer



Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
4 of 8

## Nanticoke

Contact Person: Pete Shafer  
Endicott, NY 13760  
pete@nanticokegardens.com  
(607) 754-5008  
Lic. #OCM-PROC-24-000002-P1

## Sample: 2601RLI0089-0365

Strain: Durban Poison  
Batch#: DP092616PR; Batch Size: 10000 units  
Sample Received: 01/28/2026; Report Created: 02/05/2026;

## Nanticoke - Durban Poison .5 Gram Single Preroll

Plant, Preroll, Greenhouse  
Parent Lot:

### Sampling

Sample Collection Date/Time: 01/27/26 13:55  
Sample Collection Site: Nanticoke  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

## Pass

| Analyte               | LOQ  | Limit | Result | Status |
|-----------------------|------|-------|--------|--------|
|                       | PPM  | PPM   | PPM    |        |
| Abamectin             | 0.05 | 0.50  | ND     | Pass   |
| Acephate              | 0.05 | 0.40  | ND     | Pass   |
| Acequinocyl           | 0.05 | 2.00  | ND     | Pass   |
| Acetamiprid           | 0.05 | 0.20  | ND     | Pass   |
| Aldicarb              | 0.05 | 0.40  | ND     | Pass   |
| Avermectin-B1a        |      |       | ND     | Tested |
| Avermectin-B1b        |      |       | ND     | Tested |
| Azadirachtin          | 0.25 | 1.00  | ND     | Pass   |
| Azoxystrobin          | 0.05 | 0.20  | ND     | Pass   |
| Bifenazate            | 0.05 | 0.20  | ND     | Pass   |
| Bifenthrin            | 0.05 | 0.20  | ND     | Pass   |
| Boscalid              | 0.05 | 0.40  | ND     | Pass   |
| Captan                | 0.50 | 1.00  | ND     | Pass   |
| Carbaryl              | 0.05 | 0.20  | ND     | Pass   |
| Carbofuran            | 0.05 | 0.20  | ND     | Pass   |
| Chlorantraniliprole   | 0.05 | 0.20  | ND     | Pass   |
| Chlordane             | 0.50 | 1.00  | ND     | Pass   |
| Chlorfenapyr          | 0.50 | 1.00  | ND     | Pass   |
| Chloromequat chloride | 0.05 | 1.00  | ND     | Pass   |
| Chlorpyrifos          | 0.05 | 0.20  | ND     | Pass   |
| Cinerin 1             |      |       | ND     | Tested |
| Clofentezine          | 0.05 | 0.20  | ND     | Pass   |
| Coumaphos             | 0.05 | 1.00  | ND     | Pass   |
| Cyfluthrin            | 0.05 | 1.00  | ND     | Pass   |
| Cypermethrin          | 0.05 | 1.00  | ND     | Pass   |

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003  
GC Method: MTHD-008 GC Date Tested: 02/01/2026 23:01  
LC Method: MTHD-009 LC Date Tested: 02/01/2026 18:36  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-00011



Amanda Thorning  
Laboratory Director

Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
5 of 8

## Nanticoke

Contact Person: Pete Shafer  
Endicott, NY 13760  
pete@nanticokegardens.com  
(607) 754-5008  
Lic. #OCM-PROC-24-000002-P1

## Sample: 2601RLI0089-0365

Strain: Durban Poison  
Batch#: DP092616PR; Batch Size: 10000 units  
Sample Received: 01/28/2026; Report Created: 02/05/2026;

## Nanticoke - Durban Poison .5 Gram Single Preroll

Plant, Preroll, Greenhouse  
Parent Lot:

### Sampling

Sample Collection Date/Time: 01/27/26 13:55  
Sample Collection Site: Nanticoke  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

## Pass

| Analyte            | LOQ  | Limit | Result | Status |
|--------------------|------|-------|--------|--------|
|                    | PPM  | PPM   | PPM    |        |
| Daminozide         | 0.05 | 1.00  | ND     | Pass   |
| Diazinon           | 0.05 | 0.20  | ND     | Pass   |
| Dichlorvos         | 0.05 | 1.00  | ND     | Pass   |
| Dimethoate         | 0.05 | 0.20  | ND     | Pass   |
| Dimethomorph       | 0.05 | 1.00  | ND     | Pass   |
| Ethoprophos        | 0.05 | 0.20  | ND     | Pass   |
| Etofenprox         | 0.05 | 0.40  | ND     | Pass   |
| Etoxazole          | 0.05 | 0.20  | ND     | Pass   |
| Fenhexamid         | 0.05 | 1.00  | ND     | Pass   |
| Fenoxycarb         | 0.05 | 0.20  | ND     | Pass   |
| Fenpyroximate      | 0.05 | 0.40  | ND     | Pass   |
| Fipronil           | 0.05 | 0.40  | ND     | Pass   |
| Fonicamid          | 0.05 | 1.00  | ND     | Pass   |
| Fludioxonil        | 0.05 | 0.40  | ND     | Pass   |
| Hexythiazox        | 0.05 | 1.00  | ND     | Pass   |
| Imazalil           | 0.05 | 0.20  | ND     | Pass   |
| Imidacloprid       | 0.05 | 0.40  | ND     | Pass   |
| Indolebutyric Acid | 0.05 | 1.00  | ND     | Pass   |
| Jasmolin 1         |      |       | ND     | Tested |
| Kresoxim Methyl    | 0.05 | 0.40  | ND     | Pass   |
| Malathion          | 0.05 | 0.20  | ND     | Pass   |
| Metalaxyl          | 0.05 | 0.20  | ND     | Pass   |
| Methiocarb         | 0.05 | 0.20  | ND     | Pass   |
| Methomyl           | 0.05 | 0.40  | ND     | Pass   |
| Mevinphos          | 0.05 | 1.00  | ND     | Pass   |

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003  
GC Method: MTHD-008 GC Date Tested: 02/01/2026 23:01  
LC Method: MTHD-009 LC Date Tested: 02/01/2026 18:36  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-00011



Amanda Thorning  
Laboratory Director

Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
6 of 8

## Nanticoke

Contact Person: Pete Shafer  
Endicott, NY 13760  
pete@nanticokegardens.com  
(607) 754-5008  
Lic. #OCM-PROC-24-000002-P1

## Sample: 2601RLI0089-0365

Strain: Durban Poison  
Batch#: DP092616PR; Batch Size: 10000 units  
Sample Received: 01/28/2026; Report Created: 02/05/2026;

## Nanticoke - Durban Poison .5 Gram Single Preroll

Plant, Preroll, Greenhouse  
Parent Lot:

### Sampling

Sample Collection Date/Time: 01/27/26 13:55  
Sample Collection Site: Nanticoke  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

## Pass

| Analyte                 | LOQ  | Limit | Result | Status |
|-------------------------|------|-------|--------|--------|
|                         | PPM  | PPM   | PPM    |        |
| MGK-264                 | 0.05 | 0.20  | ND     | Pass   |
| Myclobutanil            | 0.05 | 0.20  | ND     | Pass   |
| Naled                   | 0.05 | 0.50  | ND     | Pass   |
| Oxamyl                  | 0.05 | 1.00  | ND     | Pass   |
| Paclobutrazol           | 0.05 | 0.40  | ND     | Pass   |
| Parathion Methyl        | 0.10 | 0.20  | ND     | Pass   |
| Pentachloronitrobenzene | 0.50 | 1.00  | ND     | Pass   |
| Permethrins             | 0.05 | 0.20  | ND     | Pass   |
| Phosmet                 | 0.05 | 0.20  | ND     | Pass   |
| Piperonyl Butoxide      | 0.05 | 2.00  | ND     | Pass   |
| Prallethrin             | 0.05 | 0.20  | ND     | Pass   |
| Propiconazole           | 0.05 | 0.40  | ND     | Pass   |
| Propoxur                | 0.05 | 0.20  | ND     | Pass   |
| Pyrethrin 1             |      |       | ND     | Tested |
| Pyrethrin 2             |      |       | ND     | Tested |
| Pyrethrins              | 0.05 | 1.00  | ND     | Pass   |
| Pyridaben               | 0.05 | 0.20  | ND     | Pass   |
| Spinetoram              | 0.05 | 1.00  | ND     | Pass   |
| Spinetoram J            |      |       | ND     | Tested |
| Spinetoram L            |      |       | ND     | Tested |
| Spinosad                | 0.05 | 0.20  | ND     | Pass   |
| Spinosyn A              |      |       | ND     | Tested |
| Spinosyn D              |      |       | ND     | Tested |
| Spiromesifen            | 0.05 | 0.20  | ND     | Pass   |
| Spirotetramat           | 0.05 | 0.20  | ND     | Pass   |

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003  
GC Method: MTHD-008 GC Date Tested: 02/01/2026 23:01  
LC Method: MTHD-009 LC Date Tested: 02/01/2026 18:36  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



Amanda Thorning  
Laboratory Director

Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
7 of 8

## Nanticoke

Contact Person: Pete Shafer  
Endicott, NY 13760  
pete@nanticokegardens.com  
(607) 754-5008  
Lic. #OCM-PROC-24-000002-P1

Sample: 2601RLI0089-0365

Strain: Durban Poison  
Batch#: DP092616PR; Batch Size: 10000 units  
Sample Received: 01/28/2026; Report Created: 02/05/2026;

## Nanticoke - Durban Poison .5 Gram Single Preroll

Plant, Preroll, Greenhouse  
Parent Lot:

### Sampling

Sample Collection Date/Time: 01/27/26 13:55  
Sample Collection Site: Nanticoke  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte         | LOQ  | Limit | Result | Status |
|-----------------|------|-------|--------|--------|
|                 | PPM  | PPM   | PPM    |        |
| Spiroxamine     | 0.05 | 0.20  | ND     | Pass   |
| Tebuconazole    | 0.05 | 0.40  | ND     | Pass   |
| Thiacloprid     | 0.05 | 0.20  | ND     | Pass   |
| Thiamethoxam    | 0.05 | 0.20  | ND     | Pass   |
| Trifloxystrobin | 0.05 | 0.20  | ND     | Pass   |

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003  
GC Method: MTHD-008 GC Date Tested: 02/01/2026 23:01  
LC Method: MTHD-009 LC Date Tested: 02/01/2026 18:36  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



Amanda Thorning  
Laboratory Director

Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
8 of 8

## Nanticoke

Contact Person: Pete Shafer  
Endicott, NY 13760  
pete@nanticokegardens.com  
(607) 754-5008  
Lic. #OCM-PROC-24-000002-P1

Sample: 2601RLI0089-0365

Strain: Durban Poison  
Batch#: DP092616PR; Batch Size: 10000 units  
Sample Received: 01/28/2026; Report Created: 02/05/2026;

## Nanticoke - Durban Poison .5 Gram Single Preroll

Plant, Preroll, Greenhouse  
Parent Lot:

### Sampling

Sample Collection Date/Time: 01/27/26 13:55  
Sample Collection Site: Nanticoke  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

Moisture Date/Time Tested: 01/28/2026; 13:14  
Moisture Method: MTHD-003

Water Activity Date/Time Tested: 01/28/2026; 11:56  
Water Activity Method: MTHD-002

**0.32 aw**  
Limit: 0.65 aw  
*Pass*  
**Water Activity**

**8.7%**  
Limit: 15.0 %  
*Pass*  
**Moisture**

## Foreign Matter

Foreign Matter Method:  
Foreign Matter Date/Time Tested: ;

Not Tested

| Analyte | Limit | Result | Status |
|---------|-------|--------|--------|
|         | %     |        |        |
|         | %     |        |        |
|         | %     |        |        |

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



Amanda Thorning  
Laboratory Director

Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.